



Hope for Vulnerable Children Association



Plaidoyer en vue de l'amélioration de la prise en charge mère-enfant du VIH/SIDA au Cameroun

This presentation is the work of:

- Jelove Lontsi
- Ethel Ambo
- LUM Mesline
- Loveline Nchang

Contexte

- La situation du VIH/SIDA chez les jeunes filles et femmes du Cameroun n'est plus à démontrer. Elles représentent 51 % des infections et parmi la gence féminine, l'on se focalisera spécifiquement sur les femmes enceintes et allaitantes .
- En effet, le taux de prévalence du VIH chez les femmes enceintes est estimé à 7,8 % (ONUSIDA, 2014). Plus de 90 % de leurs enfants naissent infectés par le biais de la transmission mère-enfant (TME). En l'absence de toute intervention, et sans allaitement maternel, le risque de TME est de 15-30 %. L'allaitement par une personne infectée augmente le risque de 5 à 20 % pour atteindre un taux de transmission global de 20 à 45 %. Dans un contexte à ressources limitées, sans traitement antirétroviral (TAR) , 50 % des enfants infectés par le VIH meurent avant l'âge de deux ans.

Les chiffres actuels d'infection demeurent alarmants et nous avons identifiés quelques barrières majeurs à l'amélioration de la prise en charge mère-enfant du VIH/SIDA à savoir:

A- STIGMATISATION ET DISCRIMINATION 1/2

Dans certaines communautés fortement centralisées, comme celles de la partie septentrionale et de l'Ouest du pays, les jeunes femmes infectées sont fortement stigmatisées, leur statut de séropositives étant associé à l'adoption de comportements déviant à l'instar de la prostitution et de l'infidélité .

A-Stigmatisation et Discrimination 2/2

- Une enquête menée dans les hôpitaux de district de Maroua et de Garoua entre 2012 et 2013 révèle un état de peur constante et:
 - Dissimulent le carnet au vu et au su de tous
 - Refuse qu'on y fasse mention de leur traitement prescrit ou celui du bébé (Nevirapine)
 - Ne font pas de suivi hospitalier de peur que les gens se posent des questions par rapport à leur fréquente présence à l'hôpital
 - La peur d'être vu dans les points de distribution des ARV, dans les associations et groupes locaux de lutte contre le VIH/SIDA

B-Pénurie des équipements

La pénurie de tests de dépistage et d'ARV dans certaines de ces structures sanitaires ne permet pas aux centres de santé de couvrir un nombre raisonnable de la population;

Pénurie du 1^{er} Décembre: Nous avons dû acheter des tests à 400fr l'unité chez un commercial privé pour réaliser nos examens car les hôpitaux de district n'avaient pas de tests à nous donner

C-Insecurity

The conflict in the North west, South west and the Far north regions of the country poses a huge challenge to pregnant women and young women living with HIV/AIDs in these areas who are unable to access Healthcare centers for testing and subsequent treatment due insecurity and frequent lock downs

D- Difficulties with enclaved areas

- Some of these pregnant women living in enclave suburbs such as kwakwa in the southwest region where health centers are limited to 1 per village or 1 for several villages and are subjected to travelling 10 of kilometers on bikes through bumpy roads which is risky with respect to their state

- ❖ Through a sensitization campaign carried out by HOVUCA, it is evident that a majority of the AGYW in the rural communities are totally void of Sexual Reproductive Health and Menstrual Hygiene knowledge which limits their level of awareness thereby increasing their level vulnerability resulting to them not only becoming mothers are very early ages but also increasing their risk of acquiring HIV.
- ❖ With this limited knowledge, not only do they put their lives at risk but that of their unborn babies because they are unable to take positive and concrete decisions concerning their health

-
- ❖ Through a survey carried out by HOVUCA, it is evident that a majority of the AGYW in the rural communities are totally void of Sexual Reproductive Health and Menstrual Hygiene knowledge which limits their level of awareness thereby increasing their level vulnerability resulting to them not only becoming mothers at very early ages but also increasing their risk of acquiring HIV.
 - ❖ With this limited knowledge, not only do they put their lives at risk but that of their unborn babies because they are unable to take positive and concrete decisions concerning their health
-

RECOMMENDATIONS

- ❖ It is for these reasons and many others which we cannot enumerate due to time constrain that we request for an AGYW representative so that we can always communicate issues from the grass root through her to stakeholders via meetings like this
- ❖ We also encourage the government to work in collaboration with grass root organizations such as HOVUCA who is in close proximity with the population and better understand their plight
- ❖ Training of community health care workers who are willing to reach out to the population in the suburbs and take the health services to the population who are unable to access it will go a long way to promote the health of pregnant mother and children.

-
- ❖ Empowering the adolescent girl and young woman financially through skill acquisition and business schemes, will go a long way to give them the financial stamina were with they would be able promote their very own health through proper feeding of themselves and their children and their general welfare

Recommandations

- ❑ Plus de campagnes de sensibilisation dans les zones du nord, extrême nord et les villages limitrophes de l'ouest

- ❑ Mettre l'accent sur la disponibilité du matériel de dépistage et recourir aux concours d'associations non gouvernementales tel que HOVUCA dans la réalisation des dépistages mobiles et le relai aux points focaux
- ❑ Création des points focaux réservés aux Jeunes filles et femmes dans la régions du nord-ouest et Sud-ouest afin de pouvoir réaliser le suivi personnalisé des femmes enceintes et allaitantes
- ❑ Des unités spéciales pour femmes enceintes dans les points de distribution des ARV et autres équipements afin que celles-ci n'aient pas à faire la queue longtemps pour pouvoir en bénéficier

